

DryLab®



Publications 1977–2024

MOLNÁR-INSTITUTE
for applied chromatography

DryLab® Publications

266. M. Hemida, I. A. H. Ahmad, R. C. Barrientos, E. L. Regalado, Computer-assisted multifactorial method development for the streamlined separation and analysis of multicomponent mixtures in (Bio)pharmaceutical settings, *Analytica Chimica Acta*. 1293 (2024) 342178. <http://doi.org/10.1016/j.aca.2023.342178>.
265. R. Kormány, B. Soós, K. Horváth, Updating the European Pharmacopoeia impurity profiling method for cetirizine and suggesting alternative column, using design space comparison, *Journal of Pharmaceutical and Biomedical Analysis*. 237 (2024) 115776. <https://doi.org/10.1016/j.jpba.2023.115776>.
264. Q. Wang, Y. Bian, Y. Zhang, D. Sun, W. Wang, Y. Zhou, Z. Liu, X. Feng, Z. He, Development of sampling, pretreatment and detection methods for ephedrine and related substances in complex samples, *Microchemical Journal*. 189 (2023) 108538. <https://doi.org/10.1016/j.microc.2023.108538>.
263. L.R. Snyder, J.W. Dolan, Milestones in the development of liquid chromatography, in: *Liquid Chromatography*, Elsevier, 2023: pp. 1–15. <https://doi.org/10.1016/B978-0-323-99968-7.00001-1>.
262. M.C. García-Alvarez-Coque, J.R. Torres-Lapasió, J.J. Baeza-Baeza, J.A. Navarro-Huerta, Mobile phase selection in liquid chromatography, in: *Liquid Chromatography*, Elsevier, 2023: pp. 251–282. <https://doi.org/10.1016/B978-0-323-99968-7.00002-3>.
261. J.W. Dolan, L.R. Snyder, Method development in liquid chromatography, in: *Liquid Chromatography*, 3rd ed., Elsevier, 2023: pp. 323–335. <https://doi.org/10.1016/B978-0-323-99968-7.00032-1>.
260. K. Robards, D. Ryan, Theoretical considerations, in: *Principles and Practice of Modern Chromatographic Methods*, Elsevier, 2022: pp. 41–96. <https://doi.org/10.1016/B978-0-12-822096-2.00002-5>.
259. S. Jaag, C. Wen, B. Peters, M. Lämmerhofer, Kinetic performance comparison of superficially porous, fully porous and monolithic reversed-phase columns by gradient kinetic plots for the separation of protein biopharmaceuticals, *Journal of Chromatography A*. 1676 (2022) 463251. <https://doi.org/10.1016/j.chroma.2022.463251>.
258. E. Ferencz, A. Zöldhegyi, É.-K. Kelemen, M. Obreja, M. Urkon, E. Sipos, G. Tóth, I. Molnár, Z.-I. Szabó, Analytical quality by design-compliant retention modeling for exploring column interchangeabilities in separating ezetimibe and its related substances, *Journal of Chromatography A*. 1682 (2022) 463494. <https://doi.org/10.1016/j.chroma.2022.463494>.
257. B. Duivelshof, A. Zöldhegyi, D. Guillarme, M. Lauber, S. Fekete, Expediting the chromatographic analysis of COVID-19 antibody therapeutics with ultra-short columns, retention modeling and automated method development, *Journal of Pharmaceutical and Biomedical Analysis*. 221 (2022) 115039. <https://doi.org/10.1016/j.jpba.2022.115039>.
256. S. Drzymała-Czyż, K. Dziedzic, A. Szwengiel, P. Krzyżanowska-Jankowska, J.K. Nowak, A. Nowicka, R. Aringazina, S. Drzymała, N. Kashirskaya, J. Walkowiak, Serum bile acids in cystic fibrosis patients – glycodeloxycholic acid as a potential marker of liver disease, *Digestive and Liver Disease*. 54 (2022) 111–117. <https://doi.org/10.1016/j.dld.2021.06.034>.
255. I. Radić, M. Runje, S. Babić, Development of an analytical method for the determination of pimavanserin and its impurities applying analytical quality by design principles as a risk-based strategy, *Journal of Pharmaceutical and Biomedical Analysis*. 201 (2021) 114091. <https://doi.org/10.1016/j.jpba.2021.114091>.
254. R. Kormány, N. Rácz, S. Fekete, K. Horváth, Development of a Fast and Robust UHPLC Method for Apixaban In-Process Control Analysis, *Molecules*. 26 (2021) 3505. <https://doi.org/10.3390/molecules26123505>.

253. K. Jayaraman, A.K. Rajendran, G.S. Kumar, H. Bhutani, A methodology employing retention modeling for achieving control space in liquid chromatography method development using quality by design approach, *Journal of Chromatography A*. 1635 (2021) 461658. <https://doi.org/10.1016/j.chroma.2020.461658>.
252. E. Ferencz, É.-K. Kelemen, M. Obreja, E. Sipos, S. Vida, M. Urkon, Z.-I. Szabó, Computer-assisted UHPLC method development and optimization for the determination of albendazole and its related substances, *J Pharm Biomed Anal.* 203 (2021) 114203. <https://doi.org/10.1016/j.jpba.2021.114203>.
251. S. Fekete, A. Murisier, J.M. Nguyen, M.A. Lauber, D. Guillarme, Negative gradient slope methods to improve the separation of closely eluting proteins, *Journal of Chromatography A*. 1635 (2021) 461743. <https://doi.org/10.1016/j.chroma.2020.461743>.
250. S. Fekete, A. Murisier, A. Beck, J. Lawhorn, H. Ritchie, B. Boyes, D. Guillarme, New wide-pore superficially porous stationary phases with low hydrophobicity applied for the analysis of monoclonal antibodies, *Journal of Chromatography A*. 1642 (2021) 462050. <https://doi.org/10.1016/j.chroma.2021.462050>.
249. B.S. Do Amaral, F.B. Da Silva, G.M. Leme, L.S.S. Schmitz, P.C. Jimenez, R.C.C. Martins, Q.B. Cass, A.L. Valverde, Integrated analytical workflow for chromatographic profiling and metabolite annotation of a cytotoxic Phorbás amaranthus extract, *Journal of Chromatography B*. 1174 (2021) 122720. <https://doi.org/10.1016/j.jchromb.2021.122720>.
248. M.S. Daas, M. Faci, I. Nicoletti, M. Douzane, D. Corradini, Computer-Assisted Approach for the Development of RP-HPLC Methods for the Separation and Quantification of Bioactive Plant Secondary Metabolites, *APH*. 91 (2021) 198–199. <https://doi.org/10.3389/aph.2021.91.198-199>.
247. P.R. Brown, L.R. Snyder, J.W. Dolan, eds., The Linear-Solvent-Strength Model of Gradient Elution, in: *Advances in Chromatography: Volume 38*, CRC Press, Boca Raton, 2021: p. 73. <https://doi.org/10.1201/9781003210313>.
246. P.R. Brown, ed., *Advances in Chromatography: Volume 38*, CRC Press, Boca Raton, 2021. <https://doi.org/10.1201/9781003210313>.
245. B. Bobály, A. Keresztfalvi, T. Gräber, M.A. Schwarz, Superheated reversed phase chromatography with ultrashort columns for the analysis of therapeutic proteins, *Journal of Pharmaceutical and Biomedical Analysis*. 203 (2021) 114162. <https://doi.org/10.1016/j.jpba.2021.114162>.
244. K. Zhou, X. Cao, J. Bautista, Z. Chen, N. Hershey, R. Ludwig, L. Tao, M. Zeng, T.K. Das, Structure-Function Assessment and High-Throughput Quantification of Site-Specific Aspartate Isomerization in Monoclonal Antibody Using a Novel Analytical Tool Kit, *Journal of Pharmaceutical Sciences*. 109 (2020) 422–428. <https://doi.org/10.1016/j.xphs.2019.08.018>.
243. F. Tömösi, G. Kecskeméti, E.K. Cseh, E. Szabó, C. Rajda, R. Kormány, Z. Szabó, L. Vécsei, T. Janáky, A validated UHPLC-MS method for tryptophan metabolites: Application in the diagnosis of multiple sclerosis, *Journal of Pharmaceutical and Biomedical Analysis*. 185 (2020) 113246. <https://doi.org/10.1016/j.jpba.2020.113246>.
242. J. Kopp, F.B. Zauner, A. Pell, J. Hausjell, D. Humer, J. Ebner, C. Herwig, O. Spadiut, C. Slouka, R. Pell, Development of a generic reversed-phase liquid chromatography method for protein quantification using analytical quality-by-design principles, *Journal of Pharmaceutical and Biomedical Analysis*. 188 (2020) 113412. <https://doi.org/10.1016/j.jpba.2020.113412>.
241. M. Guo, M. He, J. Zhong, Q. He, B.B. Ismail, G. Chen, D. Liu, High-performance liquid chromatography (HPLC)-fluorescence method for determination of bisphenol A diglycidyl ether (BADGE) and its derivatives in canned foods, *Science of The Total Environment*. 710 (2020) 134975. <https://doi.org/10.1016/j.scitotenv.2019.134975>.
240. J.M. Godinho, J. Lawhorn, B.E. Boyes, Rapid analysis of polycyclic aromatic hydrocarbons, *Journal of Chromatography A*. 1628 (2020) 461432. <https://doi.org/10.1016/j.chroma.2020.461432>.
239. S. Fekete, H. Ritchie, J. Lawhorn, J.-L. Veuthey, D. Guillarme, Improving selectivity and performing online on-column fractioning in liquid chromatography for the separation of therapeutic biopharmaceutical products, *Journal of Chromatography A*. 1618 (2020) 460901. <https://doi.org/10.1016/j.chroma.2020.460901>.
238. D. Enesei, I. Kapui, S. Fekete, R. Kormány, Updating the European Pharmacopoeia impurity profiling method for terazosin and suggesting alternative columns, *Journal of Pharmaceutical and Biomedical Analysis*. 187 (2020) 113371. <https://doi.org/10.1016/j.jpba.2020.113371>.

237. G. Adili, G. Sun, M. Abuduaini, Y. Zhao, R. Abdulla, H.A. Aisa, Simultaneous determination of loading capacity and selectivity in preparative off-line two-dimensional separation: An application for purification of corilagin from Pomegranate flower extracts, *Journal of Chromatography A*. 1622 (2020) 461129. <https://doi.org/10.1016/j.chroma.2020.461129>.
236. J. Puschmann, D.-H. Evers, C.C. Müller-Goymann, M.E. Herbig, Development of a design of experiments optimized method for quantification of polysorbate 80 based on oleic acid using UHPLC-MS, *Journal of Chromatography A*. 1599 (2019) 136–143. <https://doi.org/10.1016/j.chroma.2019.04.015>.
235. N. Guichard, S. Fekete, D. Guillarme, P. Bonnabry, S. Fleury-Souverain, Computer-assisted UHPLC-MS method development and optimization for the determination of 24 antineoplastic drugs used in hospital pharmacy, *Journal of Pharmaceutical and Biomedical Analysis*. 164 (2019) 395–401. <https://doi.org/10.1016/j.jpba.2018.11.014>.
234. E. Farsang, A. Murisier, K. Horváth, A. Beck, R. Kormány, D. Guillarme, S. Fekete, Tuning selectivity in cation-exchange chromatography applied for monoclonal antibody separations, part 1: Alternative mobile phases and fine tuning of the separation, *Journal of Pharmaceutical and Biomedical Analysis*. 168 (2019) 138–147. <https://doi.org/10.1016/j.jpba.2019.02.024>.
233. V. D'Atri, R. Pell, A. Clarke, D. Guillarme, S. Fekete, Is hydrophobic interaction chromatography the most suitable technique to characterize site-specific antibody-drug conjugates?, *Journal of Chromatography A*. 1586 (2019) 149–153. <https://doi.org/10.1016/j.chroma.2018.12.020>.
232. A. Zöldhegyi, H.-J. Rieger, I. Molnár, L. Fekhretdinova, Automated UHPLC separation of 10 pharmaceutical compounds using software-modeling, *Journal of Pharmaceutical and Biomedical Analysis*. 156 (2018) 379–388. <https://doi.org/10.1016/j.jpba.2018.03.039>.
231. U. Woiwode, S. Neubauer, W. Lindner, S. Buckenmaier, M. Lämmerhofer, Enantioselective multiple heartcut two-dimensional ultra-high-performance liquid chromatography method with a Coreshell chiral stationary phase in the second dimension for analysis of all proteinogenic amino acids in a single run, *Journal of Chromatography A*. 1562 (2018) 69–77. <https://doi.org/10.1016/j.chroma.2018.05.062>.
230. A. Szterk, A. Zmysłowski, K. Bus, Identification of cis / trans isomers of menaquinone-7 in food as exemplified by dietary supplements, *Food Chemistry*. 243 (2018) 403–409. <https://doi.org/10.1016/j.foodchem.2017.10.001>.
229. S. Schmidtsdorff, A.H. Schmidt, M.K. Parr, Structure assisted impurity profiling for rapid method development in liquid chromatography, *Journal of Chromatography A*. 1577 (2018) 38–46. <https://doi.org/10.1016/j.chroma.2018.09.044>.
228. P.K. Sahu, N.R. Ramisetty, T. Cecchi, S. Swain, C.S. Patro, J. Panda, An overview of experimental designs in HPLC method development and validation, *Journal of Pharmaceutical and Biomedical Analysis*. 147 (2018) 590–611. <https://doi.org/10.1016/j.jpba.2017.05.006>.
227. N. Rácz, I. Molnár, A. Zöldhegyi, H.-J. Rieger, R. Kormány, Simultaneous optimization of mobile phase composition and pH using retention modeling and experimental design, *Journal of Pharmaceutical and Biomedical Analysis*. 160 (2018) 336–343. <https://doi.org/10.1016/j.jpba.2018.07.054>.
226. E.E. Mgbeahurike, H. Vuorela, T. Yrjönen, Y. Holm, Optimization of Thin-layer Chromatography and High-Performance Liquid Chromatographic Method for Piper guineense Extracts, *Natural Product Communications*. 13 (2018) 1934578X1801300. <https://doi.org/10.1177/1934578X1801300109>.
225. S. Görög, Critical review of reports on impurity and degradation product profiling in the last decade, *TrAC Trends in Analytical Chemistry*. 101 (2018) 2–16. <https://doi.org/10.1016/j.trac.2017.09.012>.
224. S. Fekete, V. Sadat-Noorbakhsh, C. Schelling, I. Molnár, D. Guillarme, S. Rudaz, J.-L. Veuthey, Implementation of a generic liquid chromatographic method development workflow: Application to the analysis of phytocannabinoids and Cannabis sativa extracts, *Journal of Pharmaceutical and Biomedical Analysis*. 155 (2018) 116–124. <https://doi.org/10.1016/j.jpba.2018.03.059>.
223. B. Bobály, M. Lauber, A. Beck, D. Guillarme, S. Fekete, Utility of a high coverage phenyl-bonding and wide-pore superficially porous particle for the analysis of monoclonal antibodies and related products, *Journal of Chromatography A*. 1549 (2018) 63–76. <https://doi.org/10.1016/j.chroma.2018.03.043>.

222. L. Zhang, Y. Hu, E. Galella, F.P. Tomasella, W.P. Fish, Separation of atropisomers by chiral liquid chromatography and thermodynamic analysis of separation mechanism, *Journal of Pharmaceutical Analysis*. 7 (2017) 156–162. <https://doi.org/10.1016/j.jpha.2017.03.003>.
221. L.R. Snyder, J.W. Dolan, Milestones in the development of liquid chromatography, in: *Liquid Chromatography*, Elsevier, 2017: pp. 1–15. <https://doi.org/10.1016/B978-0-12-805393-5.00001-4>.
220. J.N. Sangshetti, M. Deshpande, Z. Zaheer, D.B. Shinde, R. Arote, Quality by design approach: Regulatory need, *Arabian Journal of Chemistry*. 10 (2017) S3412–S3425. <https://doi.org/10.1016/j.arabjc.2014.01.025>.
219. G. Ramis-Ramos, M.C. García-Álvarez-Coque, J.A. Navarro-Huerta, Solvent selection in liquid chromatography, in: *Liquid Chromatography*, Elsevier, 2017: pp. 343–373. <https://doi.org/10.1016/B978-0-12-805393-5.00013-0>.
218. F.T. Mattrey, A.A. Makarov, E.L. Regalado, F. Bernardoni, M. Figus, M.B. Hicks, J. Zheng, L. Wang, W. Schafer, V. Antonucci, S.E. Hamilton, K. Zawatzky, C.J. Welch, Current challenges and future prospects in chromatographic method development for pharmaceutical research, *TrAC Trends in Analytical Chemistry*. 95 (2017) 36–46. <https://doi.org/10.1016/j.trac.2017.07.021>.
217. R. Kormány, K. Tamás, D. Guillarme, S. Fekete, A workflow for column interchangeability in liquid chromatography using modeling software and quality-by-design principles, *Journal of Pharmaceutical and Biomedical Analysis*. 146 (2017) 220–225. <https://doi.org/10.1016/j.jpba.2017.08.032>.
216. R. Kormány, I. Molnár, J. Fekete, Renewal of an old European Pharmacopoeia method for Terazosin using modeling with mass spectrometric peak tracking, *Journal of Pharmaceutical and Biomedical Analysis*. 135 (2017) 8–15. <https://doi.org/10.1016/j.jpba.2016.11.050>.
215. S. Fekete, I. Molnár, D. Guillarme, Separation of antibody drug conjugate species by RPLC: A generic method development approach, *Journal of Pharmaceutical and Biomedical Analysis*. 137 (2017) 60–69. <https://doi.org/10.1016/j.jpba.2017.01.013>.
214. J.W. Dolan, L.R. Snyder, Method development in liquid chromatography, in: *Liquid Chromatography*, 2nd ed., Elsevier, 2017: pp. 375–388. <https://doi.org/10.1016/B978-0-12-805393-5.00014-2>.
213. B. Bobály, G.M. Randazzo, S. Rudaz, D. Guillarme, S. Fekete, Optimization of non-linear gradient in hydrophobic interaction chromatography for the analytical characterization of antibody-drug conjugates, *Journal of Chromatography A*. 1481 (2017) 82–91. <https://doi.org/10.1016/j.chroma.2016.12.047>.
212. B. Bobály, V. D'Atri, A. Beck, D. Guillarme, S. Fekete, Analysis of recombinant monoclonal antibodies in hydrophilic interaction chromatography: A generic method development approach, *Journal of Pharmaceutical and Biomedical Analysis*. 145 (2017) 24–32. <https://doi.org/10.1016/j.jpba.2017.06.016>.
211. E. Tyteca, J.-L. Veuthey, G. Desmet, D. Guillarme, S. Fekete, Computer assisted liquid chromatographic method development for the separation of therapeutic proteins, *Analyst*. 141 (2016) 5488–5501. <https://doi.org/10.1039/C6AN01520D>.
210. D. Spaggiari, Y. Daali, S. Rudaz, An extensive cocktail approach for rapid risk assessment of in vitro CYP450 direct reversible inhibition by xenobiotic exposure, *Toxicology and Applied Pharmacology*. 302 (2016) 41–51. <https://doi.org/10.1016/j.taap.2016.04.013>.
209. T. Saraoui, P.A. Fall, F. Leroi, J.-P. Antignac, S. Chéreau, M.F. Pilet, Inhibition mechanism of *Listeria monocytogenes* by a bioprotective bacteria *Lactococcus piscium* CNCM I-4031, *Food Microbiology*. 53 (2016) 70–78. <https://doi.org/10.1016/j.fm.2015.01.002>.
208. M. Rodriguez-Aller, D. Guillarme, A. Beck, S. Fekete, Practical method development for the separation of monoclonal antibodies and antibody-drug-conjugate species in hydrophobic interaction chromatography, part 1: optimization of the mobile phase, *Journal of Pharmaceutical and Biomedical Analysis*. 118 (2016) 393–403. <https://doi.org/10.1016/j.jpba.2015.11.011>.
207. J. Kochling, W. Wu, Y. Hua, Q. Guan, J. Castaneda-Merced, A platform analytical quality by design (AQbD) approach for multiple UHPLC-UV and UHPLC-MS methods development for protein analysis, *Journal of Pharmaceutical and Biomedical Analysis*. 125 (2016) 130–139. <https://doi.org/10.1016/j.jpba.2016.03.031>.

206. E. Grushka, N. Grinberg, eds., Recent Advances in the Characterization and Analysis of Therapeutic Oligonucleotides by Analytical Separation Methods Coupling with Mass Spectrometry, in: Advances in Chromatography, Volume 53, 0 ed., CRC Press, 2016: pp. 151–186. <https://doi.org/10.1201/9781315370385-9>.
205. S. Fekete, J.-L. Veuthey, A. Beck, D. Guillarme, Hydrophobic interaction chromatography for the characterization of monoclonal antibodies and related products, *Journal of Pharmaceutical and Biomedical Analysis*. 130 (2016) 3–18. <https://doi.org/10.1016/j.jpba.2016.04.004>.
204. A. Cusumano, D. Guillarme, A. Beck, S. Fekete, Practical method development for the separation of monoclonal antibodies and antibody-drug-conjugate species in hydrophobic interaction chromatography, part 2: Optimization of the phase system, *Journal of Pharmaceutical and Biomedical Analysis*. 121 (2016) 161–173. <https://doi.org/10.1016/j.jpba.2016.01.037>.
203. L.M. Andrigutto, N.K. Burns, P.G. Stevenson, J.R. Pearson, L.C. Henderson, C.J. Bowen, X.A. Conlan, In-silico optimisation of two-dimensional high performance liquid chromatography for the determination of Australian methamphetamine seizure samples, *Forensic Science International*. 266 (2016) 511–516. <https://doi.org/10.1016/j.forsciint.2016.07.016>.
202. A. Warner, I. Piraner, H. Weimer, K. White, Development of a purity control strategy for pemetrexed disodium and validation of associated analytical methodology, *Journal of Pharmaceutical and Biomedical Analysis*. 105 (2015) 46–54. <https://doi.org/10.1016/j.jpba.2014.11.032>.
201. A.A. Reda, J. Schnelle-Kreis, J. Orasche, G. Abbaszade, J. Lintelmann, J.M. Arteaga-Salas, B. Stengel, R. Rabe, H. Harndorf, O. Sippula, T. Streibel, R. Zimmermann, Gas phase carbonyl compounds in ship emissions: Differences between diesel fuel and heavy fuel oil operation, *Atmospheric Environment*. 112 (2015) 370–380. <https://doi.org/10.1016/j.atmosenv.2015.03.057>.
200. N. Rácz, R. Kormány, J. Fekete, I. Molnár, Establishing column batch repeatability according to Quality by Design (QbD) principles using modeling software, *Journal of Pharmaceutical and Biomedical Analysis*. 108 (2015) 1–10. <https://doi.org/10.1016/j.jpba.2015.01.037>.
199. P. Jandera, T. Hájek, Possibilities of retention prediction in fast gradient liquid chromatography. Part 3: Short silica monolithic columns, *Journal of Chromatography A*. 1410 (2015) 76–89. <https://doi.org/10.1016/j.chroma.2015.07.070>.
198. L.G. Gagliardi, M. Tascon, C.B. Castells, Effect of temperature on acid–base equilibria in separation techniques. A review, *Analytica Chimica Acta*. 889 (2015) 35–57. <https://doi.org/10.1016/j.aca.2015.05.053>.
197. S. Fekete, A. Beck, J. Fekete, D. Guillarme, Method development for the separation of monoclonal antibody charge variants in cation exchange chromatography, Part II: pH gradient approach, *Journal of Pharmaceutical and Biomedical Analysis*. 102 (2015) 282–289. <https://doi.org/10.1016/j.jpba.2014.09.032>.
196. S. Fekete, A. Beck, J. Fekete, D. Guillarme, Method development for the separation of monoclonal antibody charge variants in cation exchange chromatography, Part I: Salt gradient approach, *Journal of Pharmaceutical and Biomedical Analysis*. 102 (2015) 33–44. <https://doi.org/10.1016/j.jpba.2014.08.035>.
195. D.N. Bassanese, B.J. Holland, X.A. Conlan, P.S. Francis, N.W. Barnett, P.G. Stevenson, Protocols for finding the most orthogonal dimensions for two-dimensional high performance liquid chromatography, *Talanta*. 134 (2015) 402–408. <https://doi.org/10.1016/j.talanta.2014.11.037>.
194. M. Stanic, A. Schmidt, Rapid UHPLC Method Development for Omeprazole Analysis in a Quality-by-Design Framework and Transfer to HPLC Using Chromatographic Modeling, *LCCG North America*. 32 (2014) 126–148. <https://www.chromatographyonline.com/view/rapid-uhplc-method-development-omeprazole-analysis-quality-design-framework-and-transfer-hplc-using> (accessed November 9, 2023).
193. D. Spaggiari, F. Mehl, V. Desfontaine, A. Grand-Guillaume Perrenoud, S. Fekete, S. Rudaz, D. Guillarme, Comparison of liquid chromatography and supercritical fluid chromatography coupled to compact single quadrupole mass spectrometer for targeted in vitro metabolism assay, *Journal of Chromatography A*. 1371 (2014) 244–256. <https://doi.org/10.1016/j.chroma.2014.10.055>.
192. A.H. Schmidt, M. Stanic, I. Molnár, In silico robustness testing of a compendial HPLC purity method by using of a multidimensional design space build by chromatography modeling—Case study pramipexole, *Journal of Pharmaceutical and Biomedical Analysis*. 91 (2014) 97–107. <https://doi.org/10.1016/j.jpba.2013.12.023>.

191. J. Rodenas-Montano, C. Ortiz-Bolsico, M.J. Ruiz-Angel, M.C. García-Alvarez-Coque, Implementation of gradients of organic solvent in micellar liquid chromatography using DryLab®: Separation of basic compounds in urine samples, *Journal of Chromatography A*. 1344 (2014) 31–41. <https://doi.org/10.1016/j.chroma.2014.03.073>.
190. I. Molnár, H.-J. Rieger, A. Schmidt, J. Fekete, R. Kormány, UHPLC Method Development and Modelling in the Framework of Quality by Design, *The Column*. 10 (2014) 16–21.
189. D.K. Lloyd, J. Bergum, Application of Quality by Design (QbD) to the Development and Validation of Analytical Methods, in: *Specification of Drug Substances and Products*, Elsevier, 2014: pp. 29–72. <https://doi.org/10.1016/B978-0-08-098350-9.00003-5>.
188. R. Kormány, I. Molnár, J. Fekete, D. Guillarme, S. Fekete, Robust UHPLC Separation Method Development for Multi-API Product Containing Amlodipine and Bisoprolol: The Impact of Column Selection, *Chromatographia*. 77 (2014) 1119–1127. <https://doi.org/10.1007/s10337-014-2633-9>.
187. R. Kormány, J. Fekete, D. Guillarme, S. Fekete, Reliability of simulated robustness testing in fast liquid chromatography, using state-of-the-art column technology, instrumentation and modeling software, *Journal of Pharmaceutical and Biomedical Analysis*. 89 (2014) 67–75. <https://doi.org/10.1016/j.jpba.2013.10.029>.
186. R. Kormány, J. Fekete, D. Guillarme, S. Fekete, Reliability of computer-assisted method transfer between several column dimensions packed with 1.3–5 µm core–shell particles and between various instruments, *Journal of Pharmaceutical and Biomedical Analysis*. 94 (2014) 188–195. <https://doi.org/10.1016/j.jpba.2014.01.037>.
185. S. Fekete, I. Kohler, S. Rudaz, D. Guillarme, Importance of instrumentation for fast liquid chromatography in pharmaceutical analysis, *Journal of Pharmaceutical and Biomedical Analysis*. 87 (2014) 105–119. <https://doi.org/10.1016/j.jpba.2013.03.012>.
184. J. Fekete, R. Kormány, I. Molnár, Quality by Design in Pharmaceutical Analysis Using Computer Simulation with UHPLC, *LCGC North America*. 32 (2014) 354–363. <https://www.chromatographyonline.com/view/quality-design-pharmaceutical-analysis-using-computer-simulation-uhpcl-0> (accessed November 9, 2023).
183. C. Chamseddin, T. Jira, Multifactorial design principles applied for the simultaneous separation of local anesthetics using chromatography modeling software, *Anal. Methods*. 6 (2014) 6702. <https://doi.org/10.1039/C4AY01196A>.
182. L.M. Andrigutto, P.G. Stevenson, J.R. Pearson, L.C. Henderson, X.A. Conlan, DryLab® optimised two-dimensional high performance liquid chromatography for differentiation of ephedrine and pseudoephedrine based methamphetamine samples, *Forensic Science International*. 244 (2014) 302–305. <https://doi.org/10.1016/j.forsciint.2014.09.018>.
181. M. Zhao, Y. Ma, L. Dai, D. Zhang, J. Li, W. Yuan, Y. Li, H. Zhou, A High-Performance Liquid Chromatographic Method for Simultaneous Determination of 21 Free Amino Acids in Tea, *Food Anal. Methods*. 6 (2013) 69–75. <https://doi.org/10.1007/s12161-012-9408-4>.
180. H.A. Wagdy, R.S. Hanafi, R.M. El-Nashar, H.Y. Aboul-Enein, Determination of the design space of the HPLC analysis of water-soluble vitamins: Liquid Chromatography, *J. Sep. Science*. 36 (2013) 1703–1710. <https://doi.org/10.1002/jssc.201300081>.
179. Á. Tölgyesi, R. Berky, K. Békési, S. Fekete, J. Fekete, V.K. Sharma, Analysis of sulfonamide residues in real honey samples using liquid chromatography with fluorescence and tandem mass spectrometry detection, *Journal of Liquid Chromatography & Related Technologies*. 36 (2013) 1105–1125. <https://doi.org/10.1080/10826076.2012.685911>.
178. L.R. Snyder, J.W. Dolan, Optimizing selectivity during reversed-phase high performance liquid chromatography method development: Prioritizing experimental conditions, *Journal of Chromatography A*. 1302 (2013) 45–54. <https://doi.org/10.1016/j.chroma.2013.05.082>.
177. A.H. Schmidt, I. Molnár, Using an innovative Quality-by-Design approach for development of a stability indicating UHPLC method for ebastine in the API and pharmaceutical formulations, *Journal of Pharmaceutical and Biomedical Analysis*. 78–79 (2013) 65–74. <https://doi.org/10.1016/j.jpba.2013.01.032>.
176. J. Ródenas-Montano, E.J. Carrasco-Correa, M. Beneito-Cambra, G. Ramis-Ramos, J.M. Herrero-Martínez, Determination of alcohols in essential oils by liquid chromatography with ultraviolet detection after chromogenic derivatization, *Journal of Chromatography A*. 1296 (2013) 157–163. <https://doi.org/10.1016/j.chroma.2013.04.072>.

175. H.-J. Rieger, R. Kormany, I. Molnar, Application of Quality by Design Principles to a Pharmaceutical Sample Using UHPLC Method Development with Modeling Technologies, LCGC Supplements. 31 (2013) 20–27. <https://www.chromatographyonline.com/view/application-quality-design-principles-pharmaceutical-sample-using-uhtlc-method-development-modeling> (accessed November 9, 2023).
174. A. Plenis, I. Olędzka, T. Bączek, Classification of LC columns based on the QSRR method and selectivity toward moclobemide and its metabolites, Journal of Pharmaceutical and Biomedical Analysis. 78–79 (2013) 161–169. <https://doi.org/10.1016/j.jpba.2013.02.020>.
173. I. Molnar, R. Kormány, Chromatography Modelling in High Performance Liquid Chromatography Method Development, Chromatography Today. (2013) 3–8. <https://www.chromatographytoday.com/article/bioanalytical/40/institute-for-applied-chromatography/chromatography-modelling-in-high-performance-liquid-chromatography-method-development/1387/download> (accessed November 9, 2023).
172. R. Kormány, I. Molnár, H.-J. Rieger, Exploring better column selectivity choices in ultra-high performance liquid chromatography using Quality by Design principles, Journal of Pharmaceutical and Biomedical Analysis. 80 (2013) 79–88. <https://doi.org/10.1016/j.jpba.2013.02.028>.
171. D. Elder, ICHQ2(R1) Validation of Analytical Procedures, European Pharmaceutical Review. 18 (2013) 7. <https://www.europeanpharmaceuticalreview.com/article/20814/foreword-ichq2r1-validation-of-analytical-procedures-challenges-and-opportunities/> (accessed November 9, 2023).
170. C. Chamseddin, I. Molnár, T. Jira, Intergroup cross-comparison for the evaluation of data-interchangeability from various chromatographic tests, Journal of Chromatography A. 1297 (2013) 146–156. <https://doi.org/10.1016/j.chroma.2013.04.081>.
169. A.J. Alexander, L. Zhang, T.F. Hooker, F.P. Tomasella, Comparison of supercritical fluid chromatography and reverse phase liquid chromatography for the impurity profiling of the antiretroviral drugs lamivudine/BMS-986001/efavirenz in a combination tablet, Journal of Pharmaceutical and Biomedical Analysis. 78–79 (2013) 243–251. <https://doi.org/10.1016/j.jpba.2013.02.019>.
168. Practical Application of Quality by Design Principles to The Development of an HPLC Assay Method for an API and Impurities, Column. 8 (2012) 2–9. <https://www.chromatographyonline.com/view/practical-application-quality-design-principles-development-hplc-assay-method-api-and-impurities> (accessed November 9, 2023).
167. S. Wiese, T. Teutenberg, T.C. Schmidt, A general strategy for performing temperature-programming in high performance liquid chromatography—Further improvements in the accuracy of retention time predictions of segmented temperature gradients, Journal of Chromatography A. 1222 (2012) 71–80. <https://doi.org/10.1016/j.chroma.2011.12.018>.
166. S.A. Schuster, B.E. Boyes, B.M. Wagner, J.J. Kirkland, Fast high performance liquid chromatography separations for proteomic applications using Fused-Core? silica particles, Journal of Chromatography A. 1228 (2012) 232–241. <https://doi.org/10.1016/j.chroma.2011.07.082>.
165. K. Monks, I. Molnár, H.-J. Rieger, B. Bogáti, E. Szabó, Quality by Design: Multidimensional exploration of the design space in high performance liquid chromatography method development for better robustness before validation, Journal of Chromatography A. 1232 (2012) 218–230. <https://doi.org/10.1016/j.chroma.2011.12.041>.
164. M. Koba, M. Belka, T. Ciesielski, T. Bączek, Determination of lipophilicity for antitumor acridine derivatives supported by gradient high-performance liquid chromatography method, Open Chemistry. 10 (2012) 216–223. <https://doi.org/10.2478/s11532-011-0131-6>.
163. M. Koba, T. Baczek, T. Ciesielski, Influence of LC retention data on antitumor acridinones' classification evaluated by factor analysis method, Comb Chem High Throughput Screen. 15 (2012) 674–683. <https://doi.org/10.2174/138620712802650531>.
162. R. Hanafi, H. Spahn-Langguth, L. Mahran, O. Heikal, A. Hanafy, H. Rieger, I. Molnár, H.Y. Aboul-Enein, Computer-Assisted HPLC Method Development for Determination of Tolmetin and Possible Kinetic Modulators of Its Oxidative Metabolism in Vivo, Chromatographia. 75 (2012) 469–477. <https://doi.org/10.1007/s10337-012-2220-x>.
161. S. Fekete, J.-L. Veuthey, D. Guillarme, New trends in reversed-phase liquid chromatographic separations of therapeutic peptides and proteins: Theory and applications, Journal of Pharmaceutical and Biomedical Analysis. 69 (2012) 9–27. <https://doi.org/10.1016/j.jpba.2012.03.024>.

160. S. Fekete, S. Rudaz, J. Fekete, D. Guillarme, Analysis of recombinant monoclonal antibodies by RPLC: Toward a generic method development approach, *Journal of Pharmaceutical and Biomedical Analysis*. 70 (2012) 158–168. <https://doi.org/10.1016/j.jpba.2012.06.021>.
159. M.R. Euerby, M. James, B.-O. Axelsson, O. Rosén, P. Petersson, Validation of the extended Tanaka column characterization protocol by multivariate analysis of chromatographic retention of low-molecular-weight analytes on reversed phase columns using methanol and acetonitrile as organic modifiers, *J Sep Sci.* 35 (2012) 2592–2598. <https://doi.org/10.1002/jssc.201200261>.
158. R. Berky, S. Fekete, J. Fekete, Enhancing the Quality of Separation in One-Dimensional Peptide Mapping Using Mathematical Transformation, *Chromatographia*. 75 (2012) 305–312. <https://doi.org/10.1007/s10337-012-2181-0>.
157. M.A. Bashir, W. Radke, Predicting the chromatographic retention of polymers: Application of the polymer model to poly(styrene/ethylacrylate)copolymers, *Journal of Chromatography A*. 1225 (2012) 107–112. <https://doi.org/10.1016/j.chroma.2011.12.062>.
156. V.A. Bairagi, C.D. Patil, Y.S. Ahire, Y.T. Sonawane, Development of difference spectrophotometry method for estimation of lercanidipine in tablet dosage form, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. 3 (2012) 148–155.
155. F.G. Vogt, A.S. Kord, Development of Quality-By-Design Analytical Methods, *Journal of Pharmaceutical Sciences*. 100 (2011) 797–812. <https://doi.org/10.1002/jps.22325>.
154. K. Stypułkowska, A. Błażewicz, J. Maurin, K. Sarna, Z. Fijałek, X-ray powder diffractometry and liquid chromatography studies of sibutramine and its analogues content in herbal dietary supplements, *Journal of Pharmaceutical and Biomedical Analysis*. 56 (2011) 969–975. <https://doi.org/10.1016/j.jpba.2011.08.028>.
153. K.E. Monks, H.-J. Rieger, I. Molnár, Expanding the term “Design Space” in high performance liquid chromatography (I), *Journal of Pharmaceutical and Biomedical Analysis*. 56 (2011) 874–879. <https://doi.org/10.1016/j.jpba.2011.04.015>.
152. I. Molnár, K. Monks, B.-T. Erxleben, Experimental Combination of Method Development Strategies in a Working Environment of Different Instrumental Set-ups, *Column*. 7 (2011). <https://www.chromatographyonline.com/view/experimental-combination-method-development-strategies-working-environment-different-instrumental-se> (accessed November 9, 2023).
151. I. Molnár, K.E. Monks, From Csaba Horváth to Quality by Design: Visualizing Design Space in Selectivity Exploration of HPLC Separations, *Chromatographia*. 73 (2011) 5–14. <https://doi.org/10.1007/s10337-011-1968-8>.
150. K. Jayaraman, A.J. Alexander, Y. Hu, F.P. Tomasella, A stepwise strategy employing automated screening and DryLab modeling for the development of robust methods for challenging high performance liquid chromatography separations: A case study, *Analytica Chimica Acta*. 696 (2011) 116–124. <https://doi.org/10.1016/j.aca.2011.04.010>.
149. R. Hanafi, S. Mosad, K. Abouzid, R. Nieß, H. Spahn-Langguth, Baclofen ester and carbamate prodrug candidates: A simultaneous chromatographic assay, resolution optimized with DryLab®, *Journal of Pharmaceutical and Biomedical Analysis*. 56 (2011) 569–576. <https://doi.org/10.1016/j.jpba.2011.06.023>.
148. M.J. Fredriksson, P. Petersson, B.-O. Axelsson, D. Bylund, Combined use of algorithms for peak picking, peak tracking and retention modelling to optimize the chromatographic conditions for liquid chromatography–mass spectrometry analysis of fluocinolone acetonide and its degradation products, *Analytica Chimica Acta*. 704 (2011) 180–188. <https://doi.org/10.1016/j.aca.2011.07.047>.
147. L. Bouteagbet, A. Fekete, N. Hertkorn, Y. Papastamoulis, P. Waffo-Téguo, J.M. Mérillon, P. Jeandet, R.D. Gougeon, P. Schmitt-Kopplin, Determination of stilbene derivatives in Burgundy red wines by ultra-high-pressure liquid chromatography, *Anal Bioanal Chem.* 401 (2011) 1513–1521. <https://doi.org/10.1007/s00216-011-4879-5>.
146. I. Molnár, H.-J. Rieger, K.E. Monks, Aspects of the “Design Space” in high pressure liquid chromatography method development, *Journal of Chromatography A*. 1217 (2010) 3193–3200. <https://doi.org/10.1016/j.chroma.2010.02.001>.

145. A. Makarov, Z. Chen, F. Chan, R. Bhashyam, R. Lobrutto, R. Vigesna, Strategy for Improving HPLC Retention Time Prediction Accuracy Using Chromatography Simulation Software, American Laboratory. (2010). <https://www.semanticscholar.org/paper/Strategy-for-Improving-HPLC-Retention-Time-Accuracy-Makarov-Chen/8fe1ee3898168a0c4926bdfed48d0cf37b9236c9> (accessed November 9, 2023).
144. M.R. Euerby, G. Schad, H.-J. Rieger, I. Molnár, 3-Dimensional Retention Modelling of Gradient Time, Ternary Solvent-Strength and Temperature of the Reversed-phase Gradient Liquid Chromatography of a Complex Mixture of 22 Basic and Neutral Analytes using DryLab® 2010, Chromatography Today. (2010). <http://www.chromatographytoday.com/article/hplc-uhplc/31/unassigned-independent-article/3-dimensional-retention-modelling-of-gradient-time-ternary-solvent-strength-and-temperature-of-the-reversed-phase-gradient-liquid-chromatography-of-a-complex-mixture-of-22-basic-and-neutral-analytes-using-drylabreg-2010-melvin-r-euerby-agesa-sch/832> (accessed November 9, 2023).
143. S. Fekete, J. Fekete, I. Molnár, K. Ganzler, Rapid high performance liquid chromatography method development with high prediction accuracy, using 5cm long narrow bore columns packed with sub-2μm particles and Design Space computer modeling, Journal of Chromatography A. 1216 (2009) 7816–7823. <https://doi.org/10.1016/j.chroma.2009.09.043>.
142. S. Fekete, J. Fekete, K. Ganzler, Validated UPLC method for the fast and sensitive determination of steroid residues in support of cleaning validation in formulation area, Journal of Pharmaceutical and Biomedical Analysis. 49 (2009) 833–838. <https://doi.org/10.1016/j.jpba.2008.12.027>.
141. P. Djurdjevic, A. Ceric, A. Djurdjevic, M.J. Stankov, Optimization of separation and determination of moxifloxacin and its related substances by RP-HPLC, Journal of Pharmaceutical and Biomedical Analysis. 50 (2009) 117–126. <https://doi.org/10.1016/j.jpba.2009.03.029>.
140. C.C. Corredor, J.A. Castoro, J. Young, Application of Multidimensional Screening and Analysis and Computer Simulation Software for Rapid HPLC Method Development, J Pharm Innov. 4 (2009) 121–132. <https://doi.org/10.1007/s12247-009-9058-2>.
139. I. Popovic, D. Ivanovic, M. Medenica, A. Malenovic, B. Jancic-Stojanovic, LC Determination of Lercanidipine and Its Impurities Using Drylab Software and Experimental Design Procedures, Chroma. 67 (2008) 449–454. <https://doi.org/10.1365/s10337-008-0536-3>.
138. I. Molnár, H.-J. Rieger, Computerized Design of Robust Gradient HPLC Methods, American Chemical Society, Middle Atlantic Regional Meeting, Proceedings, 261. (2008).
137. F. Hu, F. Tomasella, M. Davies, A Stepwise Strategy for Developing a Robust HPLC Separation for a Novel Diabetes Compound, American Chemical Society. (2008).
136. A. Vailaya, Fundamentals of Reversed Phase Chromatography: Solvophobic Theory Redux, (2006).
135. R.M. Krisko, K. McLaughlin, M.J. Koenigbauer, C.E. Lunte, Application of a column selection system and DryLab software for high-performance liquid chromatography method development, J Chromatogr A. 1122 (2006) 186–193. <https://doi.org/10.1016/j.chroma.2006.04.065>.
134. M.R. Euerby, F. Scannapieco, H.-J. Rieger, I. Molnar, Retention modelling in ternary solvent-strength gradient elution reversed-phase chromatography using 30mm columns, Journal of Chromatography A. 1121 (2006) 219–227. <https://doi.org/10.1016/j.chroma.2006.04.073>.
133. M.A. Bashir, W. Radke, Comparison of retention models for polymers, Journal of Chromatography A. 1131 (2006) 130–141. <https://doi.org/10.1016/j.chroma.2006.07.089>.
132. A.P. Schellinger, P.W. Carr, A practical approach to transferring linear gradient elution methods, Journal of Chromatography A. 1077 (2005) 110–119. <https://doi.org/10.1016/j.chroma.2005.04.088>.
131. I. Molnár, Searching for Robust HPLC Methods – Csaba Horváth and the Solvophobic Theory, Chroma. 62 (2005) s7–s17. <https://doi.org/10.1365/s10337-005-0645-1>.
130. V. Harang, S.P. Jacobsson, D. Westerlund, Microemulsion electrokinetic chromatography of drugs varying in charge and hydrophobicity Part II: Strategies for optimization of separation, Electrophoresis. 25 (2004) 1792–1809. <https://doi.org/10.1002/elps.200305812>.
129. T.H. Hoang, D. Cuerrier, S. McClintock, M. Di Maso, Computer-assisted method development and optimization in high-performance liquid chromatography, Journal of Chromatography A. 991 (2003) 281–287. [https://doi.org/10.1016/S0021-9673\(03\)00206-1](https://doi.org/10.1016/S0021-9673(03)00206-1).

128. A.P. Schellinger, Y. Mao, P.W. Carr, Use of DRYLAB to compare octadecylsilane and carbon supports for reversed-phase chromatography of triazine herbicide test solutes, *Anal Bioanal Chem.* 373 (2002) 587–594. <https://doi.org/10.1007/s00216-002-1355-2>.
127. H.J. Rieger, I. Molnar, Advanced high-performance liquid chromatography method development, *Journal of Chromatography A.* 948 (2002) 43–49. [https://doi.org/10.1016/S0021-9673\(02\)00033-X](https://doi.org/10.1016/S0021-9673(02)00033-X).
126. I. Molnar, Computerized design of separation strategies by reversed-phase liquid chromatography: development of DryLab software, *Journal of Chromatography A.* 965 (2002) 175–194. [https://doi.org/10.1016/S0021-9673\(02\)00731-8](https://doi.org/10.1016/S0021-9673(02)00731-8).
125. R. Kaliszan, P. Haber, T. Bączek, D. Siluk, K. Valko, Lipophilicity and pKa estimates from gradient high-performance liquid chromatography, *Journal of Chromatography A.* 965 (2002) 117–127. [https://doi.org/10.1016/S0021-9673\(02\)00114-0](https://doi.org/10.1016/S0021-9673(02)00114-0).
124. T. Jupille, L. Snyder, I. Molnár, Optimizing Multilinear Gradients in HPLC, *LC GC Europe.* 15 (2002) 596–601.
123. T.H. Jupille, J.W. Dolan, L.R. Snyder, I. Molnar, Two-dimensional optimization using different pairs of variables for the reversed-phase high-performance liquid chromatographic separation of a mixture of acidic compounds, *Journal of Chromatography A.* 948 (2002) 35–41. [https://doi.org/10.1016/S0021-9673\(01\)01587-4](https://doi.org/10.1016/S0021-9673(01)01587-4).
122. M.Ł. Hajnos, M. Waksmundzka-Hajnos, K. Głowniak, Computer Optimization of the RP-HPLC Separation of Some Taxoids from Yew Extracts, *Acta Chromatographica.* (2002) 211–218. <https://www.infona.pl/resource/bwmeta1.element.baztech-article-BAT3-0026-0038> (accessed November 9, 2023).
121. J.W. Dolan, L.R. Snyder, T.H. Jupille, N.S. Wilson, Variability of column selectivity for reversed-phase high-performance liquid chromatography Compensation by adjustment of separation conditions, *J. Chromatogr. A.* (2002).
120. M. Pfeffer, H. Windt, Automatization for development of HPLC methods, *Fresenius J Anal Chem.* 369 (2001) 36–41. <https://doi.org/10.1007/s002160000558>.
119. I. Molnár, Unexpected Results in Chromatography, *LC GC Europe.* 14 (2001) 231–242.
118. H.K. Chepkwony, F.N. Kamau, E. Rodriguez, E. Roets, J. Hoogmartens, Isocratic liquid chromatographic method for the analysis of roxithromycin and structurally related substances in bulk samples, *Chromatographia.* 54 (2001) 725–729. <https://doi.org/10.1007/BF02492490>.
117. T. Baczek, R. Kaliszan, H.A. Claessens, M.A. Straten, Computer-Assisted Optimization of Reversed-Phase HPLC Isocratic Separations of Neutral Compounds, *LC-GC Europe.* 14 (2001) 2–6.
116. R.G. Wolcott, J.W. Dolan, L.R. Snyder, S.R. Bakalyar, M.A. Arnold, J.A. Nichols, Control of column temperature in reversed-phase liquid chromatography, *Journal of Chromatography A.* 869 (2000) 211–230. [https://doi.org/10.1016/S0021-9673\(99\)00894-8](https://doi.org/10.1016/S0021-9673(99)00894-8).
115. R.G. Wolcott, J.W. Dolan, L.R. Snyder, Computer simulation for the convenient optimization of isocratic reversed-phase liquid chromatographic separations by varying temperature and mobile phase strength, *J Chromatogr A.* 869 (2000) 3–25. [https://doi.org/10.1016/S0021-9673\(99\)00876-6](https://doi.org/10.1016/S0021-9673(99)00876-6).
114. L.R. Snyder, J.W. Dolan, Reversed-phase separation of achiral isomers by varying temperature and either gradient time or solvent strength, *Journal of Chromatography A.* 892 (2000) 107–121. [https://doi.org/10.1016/S0021-9673\(00\)00050-9](https://doi.org/10.1016/S0021-9673(00)00050-9).
113. J.W. Dolan, L.R. Snyder, T. Blanc, L. Van Heukelem, Selectivity differences for C18 and C8 reversed-phase columns as a function of temperature and gradient steepness, *Journal of Chromatography A.* 897 (2000) 37–50. [https://doi.org/10.1016/S0021-9673\(00\)00851-7](https://doi.org/10.1016/S0021-9673(00)00851-7).
112. J.W. Dolan, L.R. Snyder, Appendix 2. Essential Guides to Method Development in Liquid Chromatography, in: *Encyclopedia of Separation Science*, Elsevier, 2000: pp. 4626–4636. <https://doi.org/10.1016/B0-12-226770-2/07061-7>.
111. P. Chiap, B. Evrard, M.A. Bimazubute, P. De Tullio, P. Hubert, L. Delattre, J. Crommen, Determination of albendazole and its main metabolites in ovine plasma by liquid chromatography with dialysis as an integrated sample preparation technique, *Journal of Chromatography A.* 870 (2000) 121–134. [https://doi.org/10.1016/S0021-9673\(99\)00938-3](https://doi.org/10.1016/S0021-9673(99)00938-3).

110. J.E. Madden, N. Avdalovic, P.E. Jackson, P.R. Haddad, Critical comparison of retention models for optimisation of the separation of anions in ion chromatography III. Anion chromatography using hydroxide eluents on a Dionex AS11 stationary phase, *J. Chromatogr. A.* (1999).
109. J.W. Dolan, L.R. Snyder, N.M. Djordjevic, D.W. Hill, T.J. Waeghe, Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time II. Two-run assay procedures, *J. Chromatogr. A.* (1999).
108. J.W. Dolan, L.R. Snyder, N.M. Djordjevic, D.W. Hill, T.J. Waeghe, Reversed-phase liquid chromatographic separation of complex samples by optimizing temperature and gradient time I. Peak capacity limitations, *J. Chromatogr. A.* (1999).
107. L.R. Snyder, J.W. Dolan, Systematic approaches to HPLC method development for reversed-phase separation, *Chemia Analityczna*. Vol. 43, No. 4 (1998) 495–512. <http://yadda.icm.edu.pl/baztech/element/bwmeta1.element.baztech-article-BPP1-0002-0001> (accessed November 9, 2023).
106. I. Molnár, L.R. Snyder, J.W. Dolan, Reversed-Phase Gradient Elution: How to Get Better Results with Less Work, *LC GC*. 374 (1998).
105. J.W. Dolan, L.R. Snyder, Maintaining fixed band spacing when changing column dimensions in gradient elution, *Journal of Chromatography A*. 799 (1998) 21–34. [https://doi.org/10.1016/S0021-9673\(97\)01045-5](https://doi.org/10.1016/S0021-9673(97)01045-5).
104. J.W. Dolan, L.R. Snyder, D.L. Saunders, L. Van Heukelom, Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development: II. The use of further changes in conditions, *Journal of Chromatography A*. 803 (1998) 33–50. [https://doi.org/10.1016/S0021-9673\(97\)01294-6](https://doi.org/10.1016/S0021-9673(97)01294-6).
103. J.W. Dolan, L.R. Snyder, N.M. Djordjevic, D.W. Hill, D.L. Saunders, L. Van Heukelom, T.J. Waeghe, Simultaneous variation of temperature and gradient steepness for reversed-phase high-performance liquid chromatography method development: I. Application to 14 different samples using computer simulation, *Journal of Chromatography A*. 803 (1998) 1–31. [https://doi.org/10.1016/S0021-9673\(97\)01293-4](https://doi.org/10.1016/S0021-9673(97)01293-4).
102. L.R. Snyder, J.W. Dolan, I. Molnár, N.M. Djordjevic, Selectivity Control in HPLC Method Development, *LC GC*. (1997) 136.
101. L.R. Snyder, Changing reversed-phase high performance liquid chromatography selectivity Which variables should be tried first?, *Journal of Chromatography B: Biomedical Sciences and Applications*. 689 (1997) 105–115. [https://doi.org/10.1016/S0378-4347\(96\)00351-9](https://doi.org/10.1016/S0378-4347(96)00351-9).
100. I. Molnar, Validation of Robust Chromatography Methods Using Computer-Assisted Method Development for Quality Control II, *LC GC*. 10 (1997) 32–39.
99. W. Markowski, K.L. Czapińska, Computer-assisted separation by HPLC with diode array detection and quantitative determination of furanocoumarins from Archangelica officinalis, *Chemia Analityczna*. 42 (1997) 353–363.
98. M. Lämmerhofer, P. Di Eugenio, I. Molnar, W. Lindner, Computerized optimization of the high-performance liquid chromatographic enantioseparation of a mixture of 4-dinitrophenyl amino acids on a quinine carbamate-type chiral stationary phase using drylab, *Journal of Chromatography B: Biomedical Sciences and Applications*. 689 (1997) 123–135. [https://doi.org/10.1016/S0378-4347\(96\)00366-0](https://doi.org/10.1016/S0378-4347(96)00366-0).
97. P.L. Zhu, L.R. Snyder, J.W. Dolan, N.M. Djordjevic, D.W. Hill, L.C. Sander, T.J. Waeghe, Combined use of temperature and solvent strength in reversed-phase gradient elution I. Predicting separation as a function of temperature and gradient conditions, *Journal of Chromatography A*. 756 (1996) 21–39. [https://doi.org/10.1016/S0021-9673\(96\)00721-2](https://doi.org/10.1016/S0021-9673(96)00721-2).
96. P.L. Zhu, J.W. Dolan, L.R. Snyder, N.M. Djordjevic, D.W. Hill, J.-T. Lin, L.C. Sander, L. Van Heukelom, Combined use of temperature and solvent strength in reversed-phase gradient elution IV. Selectivity for neutral (non-ionized) samples as a function of sample type and other separation conditions, *Journal of Chromatography A*. 756 (1996) 63–72. [https://doi.org/10.1016/S0021-9673\(96\)00724-8](https://doi.org/10.1016/S0021-9673(96)00724-8).
95. P.L. Zhu, J.W. Dolan, L.R. Snyder, D.W. Hill, L. Van Heukelom, T.J. Waeghe, Combined use of temperature and solvent strength in reversed-phase gradient elution III. Selectivity for ionizable samples as a function of sample type and pH, *Journal of Chromatography A*. 756 (1996) 51–62. [https://doi.org/10.1016/S0021-9673\(96\)00723-6](https://doi.org/10.1016/S0021-9673(96)00723-6).

94. P.L. Zhu, J.W. Dolan, L.R. Snyder, Combined use of temperature and solvent strength in reversed-phase gradient elution II. Comparing selectivity for different samples and systems, *Journal of Chromatography A*. 756 (1996) 41–50. [https://doi.org/10.1016/S0021-9673\(96\)00722-4](https://doi.org/10.1016/S0021-9673(96)00722-4).
93. L.R. Snyder, The Optimization of Peptide Mapping via Computer Simulation, in: W.S. Hancock (Ed.), *New Methods in Peptide Mapping for the Characterization of Proteins*, CRC Press, Boca Raton, FL, 1996: pp. 31–56.
92. L.R. Snyder, New Approaches to HPLC Method Development, *Today's Chemist at Work*. 5 (1996) 29.
91. L.R. Snyder, J.W. Dolan, Initial experiments in high-performance liquid chromatographic method development I. Use of a starting gradient run, *Journal of Chromatography A*. 721 (1996) 3–14. [https://doi.org/10.1016/0021-9673\(95\)00770-9](https://doi.org/10.1016/0021-9673(95)00770-9).
90. I. Molnar, Validation of Robust Chromatography Methods Using Computer-Assisted Method Development for Quality Control I, *LC GC*. 9 (1996) 800–808.
89. W. Metzger, K. Reif, Determination of 1,8-dihydroxyanthranoids in senna, *Journal of Chromatography A*. 740 (1996) 133–138. [https://doi.org/10.1016/0021-9673\(96\)00141-0](https://doi.org/10.1016/0021-9673(96)00141-0).
88. J.A. Lewis, L.R. Snyder, J.W. Dolan, Initial experiments in high-performance liquid chromatographic method development II. Recommended approach and conditions for isocratic separation, *Journal of Chromatography A*. 721 (1996) 15–29. [https://doi.org/10.1016/0021-9673\(95\)00771-7](https://doi.org/10.1016/0021-9673(95)00771-7).
87. W.S. Hancock, ed., *New methods in peptide mapping for the characterization of proteins*, CRC Press, Boca Raton, FL, 1996.
86. T.H. Dzido, A. Sory, Computer Optimization for RP-HPLC Separation of Some Nucleosides, *Chemia Analityczna*. 41 (1996) 113–120.
85. H.W. Bilke, I. Molnar, Ch. Gernet, High-performance liquid chromatographic separation of the impurities in a pharmaceutical raw material with the aid of computer simulation, *Journal of Chromatography A*. 729 (1996) 189–195. [https://doi.org/10.1016/0021-9673\(95\)01185-4](https://doi.org/10.1016/0021-9673(95)01185-4).
84. W.S. Hancock, R.C. Chloupek, J.J. Kirkland, L.R. Snyder, Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples: I. Optimizing the separation of a growth hormone tryptic digest, *Journal of Chromatography A*. 686 (1994) 31–43. [https://doi.org/10.1016/0021-9673\(94\)00077-8](https://doi.org/10.1016/0021-9673(94)00077-8).
83. H. Fritsch, I. Molnar, M. Wurl, Separation of arachidonic acid metabolites by on-line extraction and reversed-phase high-performance liquid chromatography optimized by computer simulation, *Journal of Chromatography A*. 684 (1994) 65–75. [https://doi.org/10.1016/S0021-9673\(94\)89133-8](https://doi.org/10.1016/S0021-9673(94)89133-8).
82. R.C. Chloupek, W.S. Hancock, B.A. Marchylo, J.J. Kirkland, B.E. Boyes, L.R. Snyder, Temperature as a variable in reversed-phase high-performance liquid chromatographic separations of peptide and protein samples: II. Selectivity effects observed in the separation of several peptide and protein mixtures, *Journal of Chromatography A*. 686 (1994) 45–59. [https://doi.org/10.1016/S0021-9673\(94\)89009-9](https://doi.org/10.1016/S0021-9673(94)89009-9).
81. R. Bonfichi, Computer-assisted rapid development of gradient high-performance liquid chromatographic methods for the analysis of antibiotics, *Journal of Chromatography A*. 678 (1994) 213–221. [https://doi.org/10.1016/0021-9673\(94\)80468-0](https://doi.org/10.1016/0021-9673(94)80468-0).
80. L. Wrisley, Use of computer simulations in the development of gradient and isocratic high-performance liquid chromatography methods for analysis of drug compounds and synthetic intermediates, *Journal of Chromatography A*. 628 (1993) 191–198. [https://doi.org/10.1016/0021-9673\(93\)80002-P](https://doi.org/10.1016/0021-9673(93)80002-P).
79. A. Jayatilaka, C.F. Poole, Computer-assisted optimization of the gas chromatographic separation of equine estrogens, *Journal of Chromatography B: Biomedical Sciences and Applications*. 617 (1993) 19–27. [https://doi.org/10.1016/0378-4347\(93\)80416-2](https://doi.org/10.1016/0378-4347(93)80416-2).
78. H. Hofmann, I. Molnar, Determination of by products in atenolol, *PZ (Pharmazeutische Zeitung) Wissenschaft*. (1992) 37–44. <https://eurekamag.com/research/007/192/007192912.php> (accessed November 9, 2023).

77. R.L. Grob, E.F. Barry, S. Leepipatpiboon, J.M. Ombaba, L.A. Colon, Computer-Assisted Enhancement of Gas Chromatographic Principles for the Teaching Laboratory. Prediction of Retention Data and Chromatographic Separation*, *Journal of Chromatographic Science*. 30 (1992) 177–183. <https://doi.org/10.1093/chromsci/30.5.177>.
76. J. Dolan, J. Lewis, W. Raddatz, L.R. Snyder, Multiparameter computer simulation for HPLC method development, *American Laboratory*. (1992). <https://www.semanticscholar.org/paper/MULTIPARAMETER-COMPUTER-SIMULATION-FOR-HPLC-METHOD-Dolan-Lewis/9051aa3e245c3694a89f7b68a56fbcbcf801cf> (accessed November 9, 2023).
75. R. Däppen, I. Molnar, Application of the gradient elution technique: Demonstration with a special test mixture and the DryLab G/plus method development software, *Journal of Chromatography A*. 592 (1992) 133–141. [https://doi.org/10.1016/0021-9673\(92\)85082-5](https://doi.org/10.1016/0021-9673(92)85082-5).
74. A.J.J.M. Coenen, L.H.G. Henckens, Y. Mengerink, Sj. van der Wal, P.J.L.M. Quaedflieg, L.H. Koole, E.M. Meijer, Optimization of the separation of the Rp and Sp diastereomers of phosphate-methylated DNA and RNA dinucleotides, *Journal of Chromatography A*. 596 (1992) 59–66. [https://doi.org/10.1016/0021-9673\(92\)80202-6](https://doi.org/10.1016/0021-9673(92)80202-6).
73. R.C. Chloupek, W.S. Hancock, L.R. Snyder, Computer simulation as a tool for the rapid optimization of the high-performance liquid chromatographic separation of a tryptic digest of human growth hormone, *J Chromatogr*. 594 (1992) 65–73. [https://doi.org/10.1016/0021-9673\(92\)80313-J](https://doi.org/10.1016/0021-9673(92)80313-J).
72. J.D. Stuart, D.D. Lisi, Computer simulation of isocratic retentions of alkylketones using gradient data, *Journal of Chromatography A*. 550 (1991) 77–86. [https://doi.org/10.1016/S0021-9673\(01\)88532-0](https://doi.org/10.1016/S0021-9673(01)88532-0).
71. L.R. Snyder, D.E. Bautz, J.W. Dolan, Computer simulation as an aid in method development for gas chromatography: III. Examples of its application, *Journal of Chromatography A*. 541 (1991) 35–58. [https://doi.org/10.1016/S0021-9673\(01\)95982-5](https://doi.org/10.1016/S0021-9673(01)95982-5).
70. P.A. Ryan, B.A. Ewels, J.L. Glajch, Separation and detection of oxidation products in Neurolite raw material, *Journal of Chromatography A*. 550 (1991) 549–558. [https://doi.org/10.1016/S0021-9673\(01\)88561-7](https://doi.org/10.1016/S0021-9673(01)88561-7).
69. I. Molnar, K.H. Gober, B. Christ, Fast development of a robust high-performance liquid chromatographic method for Ginkgo biloba based on computer simulation, *Journal of Chromatography A*. 550 (1991) 39–49. [https://doi.org/10.1016/S0021-9673\(01\)88529-0](https://doi.org/10.1016/S0021-9673(01)88529-0).
68. N.G. Mellish, Computer-assisted HPLC method development in a pharmaceutical laboratory, *LC GC*. 9 (1991) 845–848. <https://pascal-francis.inist.fr/vibad/index.php?action=getRecordDetail&idt=5102596> (accessed November 9, 2023).
67. T.-Y. Liu, A. Robbat, High-performance liquid chromatography retention index and detection of nitrated polycyclic aromatic hydrocarbons, *Journal of Chromatography A*. 539 (1991) 1–14. [https://doi.org/10.1016/S0021-9673\(01\)95355-5](https://doi.org/10.1016/S0021-9673(01)95355-5).
66. D.D. Lisi, J.D. Stuart, L.R. Snyder, Computer simulation of gradient elution separation: Accuracy of predictions for non-linear gradients, *Journal of Chromatography A*. 555 (1991) 1–19. [https://doi.org/10.1016/S0021-9673\(01\)87163-6](https://doi.org/10.1016/S0021-9673(01)87163-6).
65. T.H. Dzido, E. Soczewiński, J. Gudej, Computer-aided optimization of high-performance liquid chromatographic analysis of flavonoids from some species of the genus Althaea, *Journal of Chromatography A*. 550 (1991) 71–76. [https://doi.org/10.1016/S0021-9673\(01\)88531-9](https://doi.org/10.1016/S0021-9673(01)88531-9).
64. A. Drouen, J.W. Dolan, L.R. Snyder, A. Poile, J. Schoenmakers, Software for chromatographic method development, *LC GC*. 9 (1991) 714–724.
63. J.W. Dolan, L.R. Snyder, D.E. Bautz, Computer simulation as an aid in method development for gas chromatography: II. Changes in band spacing as a function of temperature, *Journal of Chromatography A*. 541 (1991) 21–35. [https://doi.org/10.1016/S0021-9673\(01\)95981-3](https://doi.org/10.1016/S0021-9673(01)95981-3).
62. D.E. Bautz, J.W. Dolan, L.R. Snyder, Computer simulation as an aid in method development for gas chromatography: I. The accurate prediction of separation as a function of experimental conditions, *Journal of Chromatography A*. 541 (1991) 1–19. [https://doi.org/10.1016/S0021-9673\(01\)95980-1](https://doi.org/10.1016/S0021-9673(01)95980-1).

61. F.D. Antia, C. Horváth, Gradient Elution Chromatography, in: C.A. Costa, J.S. Cabral (Eds.), *Chromatographic and Membrane Processes in Biotechnology*, Springer Netherlands, Dordrecht, 1991: pp. 115–136. https://doi.org/10.1007/978-94-011-3470-5_6.
60. G.N. Abbay, E.F. Barry, S. LEEPIPATPIBOON, T. Ramstad, M.C. Roman, R.W. Siergiej, Practical applications of computer simulation for gas chromatography method development, *LCGC*. 9 (1991) 100–114. <https://pascal-francis.inist.fr/vibad/index.php?action=getRecordDetail&idt=19479964> (accessed November 9, 2023).
59. L.R. Snyder, J.W. Dolan, Reproducibility problems in gradient elution caused by differing equipment, *LC GC*. 8 (1990) 524–537.
58. L.R. Snyder, Separation of Large Biomolecules by Gradient Elution, in: K.M. Gooding, F.E. Regnier (Eds.), *HPLC of Biological Macromolecules: Methods and Application*, Marcel Dekker, New York, 1990.
57. L.R. Snyder, J.W. Dolan, D.C. Lommen, High-performance liquid chromatographic computer simulation based on a restricted multi-parameter approach: II. Applications, *Journal of Chromatography A*. 535 (1990) 75–92. [https://doi.org/10.1016/S0021-9673\(01\)88936-6](https://doi.org/10.1016/S0021-9673(01)88936-6).
56. W. Markowski, T.H. Dzido, E. Soczewiński, Computer Simulation for Optimization of High-Performance Liquid Chromatography of Some Phenolic Pollutants, *Journal of Chromatography A*. 523 (1990) 81–89. [https://doi.org/10.1016/0021-9673\(90\)85013-L](https://doi.org/10.1016/0021-9673(90)85013-L).
55. K.M. Gooding, F.E. Regnier, eds., *HPLC of Biological Macromolecules: Methods and Application*, Marcel Dekker, New York, 1990.
54. B.F.D. Ghrist, B.S. Cooperman, L.R. Snyder, The 30S Ribosomal Proteins as a Model for the Optimized Separation of Large Biomolecules by Reversed-Phase HPLC, in: K.M. Gooding, F.E. Regnier (Eds.), *HPLC of Biological Macromolecules: Methods and Application*, Marcel Dekker, New York, 1990.
53. J.R. Gant, A.F. Vandemark, A.F. Poile, A Method Development System for Liquid Chromatography, *American Laboratory*. 22 (1990) 15.
52. F. Erni, Use of high-performance liquid chromatography in the pharmaceutical industry, *Journal of Chromatography A*. 507 (1990) 141–149. [https://doi.org/10.1016/S0021-9673\(01\)84189-3](https://doi.org/10.1016/S0021-9673(01)84189-3).
51. J.W. Dolan, L.R. Snyder, Liquid Chromatography Expert Systems: A Modular Approach – Solvophobic Interactions Part III, *American Laboratory*. 22 (1990) 50.
50. J.W. Dolan, L.R. Snyder, Integration of Computer-Aided Method Development Techniques in LC, *Journal of Chromatographic Science*. 28 (1990) 379–384. <https://doi.org/10.1093/chromsci/28.7.379>.
49. J.W. Dolan, D.C. Lommen, L.R. Snyder, High-performance liquid chromatographic computer simulation based on a restricted multi-parameter approach: I. Theory and verification, *Journal of Chromatography A*. 535 (1990) 55–74. [https://doi.org/10.1016/S0021-9673\(01\)88935-4](https://doi.org/10.1016/S0021-9673(01)88935-4).
48. D.E. Bautz, J.W. Dolan, Computer-Assisted Optimization of Temperature-Programmed Gas Chromatographic Separations, *American Laboratory*. 22 (1990) 40.
47. D.E. Bautz, J.W. Dolan, W.D. Raddatz, L.R. Snyder, Computer simulation (based on a linear-elution-strength approximation) as an aid for optimizing separations by programmed-temperature gas chromatography, *Anal Chem*. 62 (1990) 1560–1567. <https://doi.org/10.1021/ac00214a004>.
46. D.J. Thompson, W.D. Ellenson, Computer-assisted development of a high-performance liquid chromatographic method for fractionating selected nitro derivatives of polyromatic hydrocarbons, *Journal of Chromatography A*. 485 (1989) 607–615. [https://doi.org/10.1016/S0021-9673\(01\)89167-6](https://doi.org/10.1016/S0021-9673(01)89167-6).
45. J.D. Stuart, D.D. Lisi, L.R. Snyder, Separation of mixtures of o-phthalaldehyde-derivatized amino acids by reversed-phase gradient elution: Accuracy of computer simulation for predicting retention and band width, *Journal of Chromatography A*. 485 (1989) 657–672. [https://doi.org/10.1016/S0021-9673\(01\)89171-8](https://doi.org/10.1016/S0021-9673(01)89171-8).
44. L.R. Snyder, J.W. Dolan, D.C. Lommen, Drylab® computer simulation for high-performance liquid chromatographic method development: I. Isocratic elution, *Journal of Chromatography A*. 485 (1989) 65–89. [https://doi.org/10.1016/S0021-9673\(01\)89133-0](https://doi.org/10.1016/S0021-9673(01)89133-0).

43. J. Schmidt, Predicting reversed-phase gradient elution separations by computer simulation: A comparison of two different programs, *Journal of Chromatography A*. 485 (1989) 421–432. [https://doi.org/10.1016/S0021-9673\(01\)89153-6](https://doi.org/10.1016/S0021-9673(01)89153-6).
42. T. Sasagawa, Y. Sakamoto, T. Hirose, T. Yoshida, Y. Kobayashi, Y. Sato, K. Koizumi, Prediction of retention times in ion-exchange chromatography, *Journal of Chromatography A*. 485 (1989) 533–540. [https://doi.org/10.1016/S0021-9673\(01\)89160-3](https://doi.org/10.1016/S0021-9673(01)89160-3).
41. I. Molnar, R. Boysen, P. Jekow, Peak tracking in high-performance liquid chromatography based on normalized band areas: A ribosomal protein sample as an example, *Journal of Chromatography A*. 485 (1989) 569–579. [https://doi.org/10.1016/S0021-9673\(01\)89163-9](https://doi.org/10.1016/S0021-9673(01)89163-9).
40. I. Molnar, R.I. Boysen, V.A. Erdmann, High-performance-liquid chromatography of *Thermus aquaticus* 50S and 30S ribosomal proteins, *Chromatographia*. 28 (1989) 39–44. <https://doi.org/10.1007/BF02290381>.
39. R.G. Lehmann, J.R. Miller, Development of a high-performance liquid chromatographic method for fluroxypyr heerbicide and metabolites using computer simulation with drylab software, *Journal of Chromatography A*. 485 (1989) 581–584. [https://doi.org/10.1016/S0021-9673\(01\)89164-0](https://doi.org/10.1016/S0021-9673(01)89164-0).
38. E.P. Lankmayr, W. Wegscheider, J.C. Gfeller, N.M. Djordjevic, B. Schreiber, Computer-aided optimization of high-performance liquid chromatography in the pharmaceutical industry, *Journal of Chromatography A*. 485 (1989) 183–193. [https://doi.org/10.1016/S0021-9673\(01\)89138-X](https://doi.org/10.1016/S0021-9673(01)89138-X).
37. J. Fulper, Practical approach for high-performance liquid chromatographic method development: assaying synthetic intermediates of a leukotriene inhibitor, *Journal of Chromatography A*. 485 (1989) 597–605. [https://doi.org/10.1016/S0021-9673\(01\)89166-4](https://doi.org/10.1016/S0021-9673(01)89166-4).
36. J.W. Dolan, D.C. Lommen, L.R. Snyder, Drylab® computer simulation for high-performance liquid chromatographic method development: II. Gradient Elution, *Journal of Chromatography A*. 485 (1989) 91–112. [https://doi.org/10.1016/S0021-9673\(01\)89134-2](https://doi.org/10.1016/S0021-9673(01)89134-2).
35. L.R. Snyder, J.W. Dolan, Developing a Gradient Elution Method for Reversed-Phase HPLC, *LC GC*. 5 (1988).
34. P.E. Shaw, C.W. Wilson III, Quantitative Determination of Limonin in Citrus Juices by HPLC Using Computerized Solvent Optimization, *Journal of Chromatographic Science*. 26 (1988) 478–481. <https://doi.org/10.1093/chromsci/26.9.478>.
33. T.H. Jupille, J.W. Dolan, L.R. Snyder, Computer Simulation in HPLC: Making Multistep Gradients Practical, *American Laboratory*. 20 (1988) 20.
32. B.F.D. Ghrist, L.R. Snyder, Design of optimized high-performance liquid chromatographic gradients for the separation of either small or large molecules: III. An overall strategy and its application to several examples, *Journal of Chromatography A*. 459 (1988) 43–63. [https://doi.org/10.1016/S0021-9673\(01\)82016-1](https://doi.org/10.1016/S0021-9673(01)82016-1).
31. B.F.D. Ghrist, L.R. Snyder, Design of optimized high-performance liquid chromatographic gradients for the separation of either small or large molecules: II. Background and theory, *Journal of Chromatography A*. 459 (1988) 25–41. [https://doi.org/10.1016/S0021-9673\(01\)82015-X](https://doi.org/10.1016/S0021-9673(01)82015-X).
30. B.F.D. Ghrist, B.S. Cooperman, L.R. Snyder, Design of optimized high-performance liquid chromatographic gradients for the separation of either small or large molecules: I. Minimizing errors in computer simulations, *Journal of Chromatography A*. 459 (1988) 1–23. [https://doi.org/10.1016/S0021-9673\(01\)82014-8](https://doi.org/10.1016/S0021-9673(01)82014-8).
29. M.A. Stadalius, B.F.D. Ghrist, L.R. Snyder, Predicting bandwidth in the high-performance liquid chromatographic separation of large biomolecules: II. A general model for the four common high-performance liquid chromatography methods, *Journal of Chromatography A*. 387 (1987) 21–40. [https://doi.org/10.1016/S0021-9673\(01\)94511-X](https://doi.org/10.1016/S0021-9673(01)94511-X).
28. L.R. Snyder, J.W. Dolan, M.A. Quarry, *HPLC Method Development and Column Reproducibility*, *American Laboratory*. 19 (1987) 43.
27. L.R. Snyder, M.A. Quarry, J.L. Glajch, Solvent-strength selectivity in reversed-phase HPLC, *Chromatographia*. 24 (1987) 33–44. <https://doi.org/10.1007/BF02688465>.
26. L.R. Snyder, M.A. Quarry, Computer Simulation in HPLC Method Development. Reducing the Error of Predicted Retention Times, *Journal of Liquid Chromatography*. 10 (1987) 1789–1820. <https://doi.org/10.1080/01483918708066799>.

25. M.A. Quarry, R.L. Grob, L.R. Snyder, J.W. Dolan, M.P. Rigney, Band-spacing in reversed-phase high-performance liquid chromatography as a function of solvent strength: A simple and fast alternative to solvent optimization for method development, *Journal of Chromatography A*. 384 (1987) 163–180. [https://doi.org/10.1016/S0021-9673\(01\)94668-0](https://doi.org/10.1016/S0021-9673(01)94668-0).
24. B.F.D. Ghrist, M.A. Stadalius, L.R. Snyder, Predicting bandwidth in the high-performance liquid chromatographic separation of large biomolecules: I. Size-exclusion studies and the role of solute stokes diameter versus particle pore diameter, *Journal of Chromatography A*. 387 (1987) 1–19. [https://doi.org/10.1016/S0021-9673\(01\)94510-8](https://doi.org/10.1016/S0021-9673(01)94510-8).
23. J.W. Dolan, L.R. Snyder, M.A. Quarry, Computer simulation as a means of developing an optimized reversed-phase gradient-elution separation, *Chromatographia*. 24 (1987) 261–276. <https://doi.org/10.1007/BF02688488>.
22. L.R. Snyder, J.W. Dolan, HPLC Computer Simulation. Optimizing Column Conditions, American Laboratory. 18 (1986) 37.
21. J.L. Glajch, M.A. Quarry, J.F. Vasta, L.R. Snyder, Separation of peptide mixtures by reversed-phase gradient elution. Use of flow rate changes for controlling band spacing and improving resolution, *Anal. Chem.* 58 (1986) 280–285. <https://doi.org/10.1021/ac00293a004>.
20. M.A. Stadalius, M.A. Quarry, L.R. Snyder, Optimization model for the gradient elution separation of peptide mixtures by reversed-phase high-performance liquid chromatography: Application to method development and the choice of column configuration, *Journal of Chromatography A*. 327 (1985) 93–113. [https://doi.org/10.1016/S0021-9673\(01\)81640-X](https://doi.org/10.1016/S0021-9673(01)81640-X).
19. M.A. Stadalius, H.S. Gold, L.R. Snyder, Optimization model for the gradient elution separation of peptide mixtures by reversed-phase high-performance liquid chromatography: Verification of band width relationships for acetonitrile-water mobile phases, *Journal of Chromatography A*. 327 (1985) 27–45. [https://doi.org/10.1016/S0021-9673\(01\)81636-8](https://doi.org/10.1016/S0021-9673(01)81636-8).
18. L.R. Snyder, P.E. Antle, Selecting Column Conditions for Reversed-Phase HPLC Separation II. Column Configuration and Column Evaluation, *LC GC*. 3 (1985).
17. H. Wilms, I. Molnar, Rapid measurement of cyclosporin a plasma levels by HPLC in allograft transplant recipients, *Chromatographia*. 19 (1984) 462–465. <https://doi.org/10.1007/BF02687788>.
16. M.A. Stadalius, H.S. Gold, L.R. Snyder, Optimization model for the gradient elution separation of peptide mixtures by reversed-phase high-performance liquid chromatography: Verification of retention relationships, *Journal of Chromatography A*. 296 (1984) 31–59. [https://doi.org/10.1016/S0021-9673\(01\)96400-3](https://doi.org/10.1016/S0021-9673(01)96400-3).
15. M.A. Quarry, R.L. Grob, L.R. Snyder, Measurement and use of retention data from high-performance gradient elution: Correction for “non-ideal” processes originating within the column, *Journal of Chromatography A*. 285 (1984) 19–51. [https://doi.org/10.1016/S0021-9673\(01\)87733-5](https://doi.org/10.1016/S0021-9673(01)87733-5).
14. M.A. Quarry, R.L. Grob, L.R. Snyder, Measurement and use of retention data from high-performance gradient elution: Contributions from “non-ideal” gradient equipment, *Journal of Chromatography A*. 285 (1984) 1–18. [https://doi.org/10.1016/S0021-9673\(01\)87732-3](https://doi.org/10.1016/S0021-9673(01)87732-3).
13. R.W. Stout, J.J. DeStefano, L.R. Snyder, High-performance liquid chromatographic column efficiency as a function of particle composition and geometry and capacity factor, *Journal of Chromatography A*. 282 (1983) 263–286. [https://doi.org/10.1016/S0021-9673\(00\)91607-8](https://doi.org/10.1016/S0021-9673(00)91607-8).
12. L.R. Snyder, M.A. Stadalius, M.A. Quarry, Gradient elution in reversed-phase HPLC-separation of macromolecules, *Anal. Chem.* 55 (1983) 1412A-1430A. <https://doi.org/10.1021/ac00264a001>.
11. K. Buchholz, B. Gödelmann, I. Molnar, High-performance liquid chromatography of proteins: analytical applications, *Journal of Chromatography A*. 238 (1982) 193–202. [https://doi.org/10.1016/S0021-9673\(00\)82726-0](https://doi.org/10.1016/S0021-9673(00)82726-0).
10. L.R. Snyder, M.A. Stadalius, HPLC Separation of Large Molecules. A General Model, in: C. Horváth (Ed.), *High-Performance Liquid Chromatography: Advances and Perspectives*, Academic Press, 1980.
9. L.R. Snyder, Gradient Elution, in: C. Horváth (Ed.), *High-Performance Liquid Chromatography: Advances and Perspectives*, Academic Press, 1980: pp. 207–314.

8. C. Horváth, High-Performance Liquid Chromatography: Advances and Perspectives, Academic Press, Orlando San Diego New York [etc.], 1980.
7. I. Molnár, C. Horváth, Separation of amino acids and peptides on non-polar stationary phases by high-performance liquid chromatography, *Journal of Chromatography A*. 142 (1977) 623–640. [https://doi.org/10.1016/S0021-9673\(01\)92073-4](https://doi.org/10.1016/S0021-9673(01)92073-4).
6. I. Molnár, C. Horváth, Rapid separation of urinary acids by high-performance liquid chromatography, *Journal of Chromatography B: Biomedical Sciences and Applications*. 143 (1977) 391–400. [https://doi.org/10.1016/S0378-4347\(00\)80985-8](https://doi.org/10.1016/S0378-4347(00)80985-8).
5. I. Molnár, C. Horváth, Rapid Analysis of Peptide Mixtures by High Performance Liquid Chromatography With Nonpolar Stationary Phases, in: M. Goodman, J. Meienhofer (Eds.), *Peptides: Proceedings of the 5th American Peptide Symposium*, Halsted Press, New York, 1977: pp. 48–51.
4. Csaba. Horvath, Wayne. Melander, Imre. Molnar, Liquid chromatography of ionogenic substances with nonpolar stationary phases, *Anal. Chem.* 49 (1977) 142–154. <https://doi.org/10.1021/ac50009a044>.
3. Csaba. Horvath, Wayne. Melander, Imre. Molnar, Petra. Molnar, Enhancement of retention by ion-pair formation in liquid chromatography with nonpolar stationary phases, *Anal. Chem.* 49 (1977) 2295–2305. <https://doi.org/10.1021/ac50022a048>.
2. M. Goodman, J. Meienhofer, *Peptides: Proceedings of the 5th American Peptide Symposium*, Halsted Press, New York, 1977.
1. C. Horváth, W. Melander, I. Molnár, Solvophobic interactions in liquid chromatography with nonpolar stationary phases, *Journal of Chromatography A*. 125 (1976) 129–156. [https://doi.org/10.1016/S0021-9673\(00\)93816-0](https://doi.org/10.1016/S0021-9673(00)93816-0).

MOLNÁR-INSTITUTE

for applied chromatography

Modeling Software:
DryLab®, 3D-Resolution Map, Robustness Module,
HPLC Knowledge Management Protocol
UHPLC Method Development
Consulting & Trainings

Schneegloeckchenstrasse 47
10407 Berlin, Germany
Phone: +49 30 421 559-0
Fax: +49 30 421 559-99
info@molnar-institute.com
www.molnar-institute.com